

## Preisliste RONDO-LX Stand 01.03.2022



**Bestellhinweis:** Die roten Felder "BC (= B estell Code)" ergeben aneinandergereiht die vollständige Bestellnummer. Aus jeder roten Spalte muß ein Wert ausgewählt werden, der Inhalt der Spalten kann dabei frei kombiniert werden. Der Gesamtpreis ergibt sich aus Summe von Grundpreis und den Spalten Aufpreis. Beispiel: S173-470030-SC-M84-1 = RONDO-LX blau 470nm 30° SC-Typ mit M8-Stecker (4-polig) 1-kanalig / Preis = 510€ + 10€ = 520€

### RONDO-LX 1-kanalig

BC	Lichtfarbe	Grundpreis	BC	Spannungsversorgung	Aufpreis	BC	Anschlußstecker	BC	Anzahl Kanäle	BC
S173	rot 617nm 30°	482,00 €	-617030	24V-Typ	+ 0 €	-24	M8 Stecker 4-polig	-M84	1-kanalig	-1
	rot 617nm 60°	482,00 €	-617060	24V-Typ mit Schalteingang	+ 35 €	-24S				
	rot 635nm 120°	461,00 €	-635120	SC-Typ	+ 10 €	-SC				
	weiß 120°	510,00 €	-WLU120							
	IR 850nm 30°	492,00 €	-850030							
	IR 850nm 50°	492,00 €	-850050							
	IR 850nm 120°	482,00 €	-850120							
	blau 470nm 30°	510,00 €	-470030							
	blau 470nm 120°	510,00 €	-470120							
	grün 525nm 30°	510,00 €	-525030							
	grün 525nm 120°	510,00 €	-525120							
	UV 375nm 120°	672,00 €	-375120							

### RONDO-LX 1-kanalig RGB

BC	Lichtfarbe	Grundpreis	BC	Spannungsversorgung	Aufpreis	BC	Anschlußstecker	BC	Anzahl Kanäle	BC
S173	RGB	576,00 €	-RGB120	24V-Typ	+ 0 €	-24	M8 Stecker 6-polig	-M86	1-kanalig	-1
				SC-Typ	+ 10 €	-SC				

### RONDO-LX 4-kanalig (4 Segmente getrennt ansteuerbar)

BC	Lichtfarbe	Grundpreis	BC	Spannungsversorgung	Aufpreis	BC	Anschlußstecker	BC	Anzahl Kanäle	BC
S173	rot 617nm 30°	535,00 €	-617030	24V-Typ	+ 0 €	-24	M8 Stecker 6-polig	-M86	4-kanalig	-4
	rot 617nm 60°	535,00 €	-617060	SC-Typ	+ 10 €	-SC				
	rot 635nm 120°	514,00 €	-635120							
	weiß 120°	562,00 €	-WLU120							
	IR 850nm 30°	545,00 €	-850030							
	IR 850nm 50°	545,00 €	-850050							
	IR 850nm 120°	535,00 €	-850120							
	blau 470nm 30°	562,00 €	-470030							
	blau 470nm 120°	562,00 €	-470120							
	grün 525nm 30°	562,00 €	-525030							
	grün 525nm 120°	562,00 €	-525120							
	UV 375nm 120°	724,00 €	-375120							

### optionales Zubehör RONDO-LX

Art.-Nr.	Bezeichnung	Preis	Art.-Nr.	Bezeichnung	Preis	Art.-Nr.	Bezeichnung	Preis
S173-13A	Front RONDO-LX klar antireflex	18,00 €	S173-13S0-UV	Front RONDO-LX klar 3mm für UV	18,00 €	S510-0102	Beleuchtungscontroller IPSC1	649,00 €
S173-13S1	Diffusor RONDO-LX 1-seitig sat. (Trans. 91%)	18,00 €	S173-414S0-W30	3-D-Diffusor RONDO-LX Material 060 30°	60,00 €	S510-0202-E-V2	Beleuchtungscontroller HPSC1	727,00 €
S173-33S0	Diffusor RONDO-LX Material 017 (Trans. 90%)	18,00 €	S173-422S0-W45	3-D-Diffusor RONDO-LX Material 060 45°	60,00 €	S520-0102	Beleuchtungscontroller IPSC2	749,00 €
S173-23S0	Diffusor RONDO-LX Material 010 (Trans. 68%)	18,00 €	S173-436S0-W60	3-D-Diffusor RONDO-LX Material 060 60°	60,00 €	S540-0102	Beleuchtungscontroller IPSC4	828,00 €
S173-42S0	Diffusor RONDO-LX Material 060 (Trans. 45%)	18,00 €	S-0012	I-Switch Alu 2.5A M8 (external power switch)	95,00 €	S540-0200-E	Beleuchtungscontroller HPSC4	980,00 €
S173-53S0	Front Polfilter linear RONDO-LX	36,00 €	S12-M85M	5m Kabel M8-Kupplung gerade 4-polig auf offene Aderenden	14,00 €			
S173-3	Montageadapter Baumer Verisens	150,00 €	S12-M810M	10m Kabel M8-Kupplung gerade 4-polig auf offene Aderenden	26,00 €			
S173-4	Montageadapter Cognex Insight	150,00 €	S12-M85M6P	5m Kabel M8-Kupplung gerade 6-polig auf offene Aderenden	33,00 €			
			S12-M810M6P	10m Kabel M8-Kupplung gerade 6-polig auf offene Aderenden	42,00 €			

## Pricelist RONDO-LX Stand 01.03.2022

### Ordering Guide:

In order to compile a valid Order Code, **one** value must be selected from each  
The total price of a selection is the sum of the Basic price plus the Extra charge

### RONDO-LX 1-channel

OC	Light color	Basic price	OC	Power supply
<b>S173</b>	red 617nm 30°	482,00 €	<b>-617030</b>	24V-Type
	red 617nm 60°	482,00 €	<b>-617060</b>	24V-Type with remote enable
	red 635nm 120°	461,00 €	<b>-635120</b>	SC-Type
	white 120°	510,00 €	<b>-WLU120</b>	
	IR 850nm 30°	492,00 €	<b>-850030</b>	
	IR 850nm 50°	492,00 €	<b>-850050</b>	
	IR 850nm 120°	482,00 €	<b>-850120</b>	
	blue 470nm 30°	510,00 €	<b>-470030</b>	
	blue 470nm 120°	510,00 €	<b>-470120</b>	
	green 525nm 30°	510,00 €	<b>-525030</b>	
	green 525nm 120°	510,00 €	<b>-525120</b>	
	UV 375nm 120°	672,00 €	<b>-375120</b>	

### RONDO-LX 1-channel RGB

OC	Light color	Basic price	OC	Power supply
<b>S173</b>	RGB	576,00 €	<b>-RGB120</b>	24V-Type
				SC-Type

### RONDO-LX 4-channel (4 segments operated seperately)

OC	Light color	Basic price	OC	Power supply
<b>S173</b>	red 617nm 30°	535,00 €	<b>-617030</b>	24V-Type
	red 617nm 60°	535,00 €	<b>-617060</b>	SC-Type
	red 635nm 120°	514,00 €	<b>-635120</b>	
	white 120°	562,00 €	<b>-WLU120</b>	
	IR 850nm 30°	545,00 €	<b>-850030</b>	
	IR 850nm 50°	545,00 €	<b>-850050</b>	
	IR 850nm 120°	535,00 €	<b>-850120</b>	
	blue 470nm 30°	562,00 €	<b>-470030</b>	
	blue 470nm 120°	562,00 €	<b>-470120</b>	
	green 525nm 30°	562,00 €	<b>-525030</b>	
	green 525nm 120°	562,00 €	<b>-525120</b>	
	UV 375nm 120°	724,00 €	<b>-375120</b>	

### Accessories RONDO-LX

Art.-Nr.	Description	Price	Art.-Nr.
S173-13A	Front RONDO-LX clear antireflection	18,00 €	S173-13S0-UV
S173-13S1	Diffuser RONDO-LX 1-sided satin (Trans. 91%)	18,00 €	S173-414S0-W30
S173-33S0	Front RONDO-LX material 017 (Trans. 90%)	18,00 €	S173-422S0-W45
S173-23S0	Diffuser RONDO-LX material 010 (Trans. 68%)	18,00 €	S173-436S0-W60
S173-42S0	Diffuser RONDO-LX material 060 (Trans. 45%)	18,00 €	S-0012
S173-53S0	Front clear polarizing filter linear RONDO-LX	36,00 €	S12-M85M

S173-3	Mating Adapter Baumer Verisens	150,00 €	S12-M810M
S173-4	Mating adapter Cognex Insight	150,00 €	S12-M85M6P
			S12-M810M6P

**Büchner Lichtsysteme GmbH - Uzstrasse 2 - 86465 Welden - Germany - email: [info@buechner-lichtsyst](mailto:info@buechner-lichtsyst)**

red column "OC (=Order Code)". All combinations are allowed.

2 - Columns. Example: S173-470030-SC-M84-1 = RONDO-LX blue 470nm 30° SC-Type with M8 plug (4-pole) 1-channel

Extra charge	OC	Connection plug	OC	Channel Number
+ 0 €	-24	M8 plug 4-pole	-M84	1-channel
+ 35 €	-24S			
+ 10 €	-SC			

Extra charge	OC	Connection plug	OC	Channel Number
+ 0 €	-24	M8 plug 6-pole	-M86	1-channel
+ 10 €	-SC			

Extra charge	OC	Connection plug	OC	Channel Number
+ 0 €	-24	M8 plug 6-pole	-M86	4-channel
+ 10 €	-SC			

Description	Price	Art.-Nr.
Front clear RONDO-LX for UV	18,00 €	S510-0102
3-D-Diffuser RONDO-LX material 060 30°	60,00 €	S510-0202-E-V2
3-D-Diffuser RONDO-LX material 060 45°	60,00 €	S520-0102
3-D-Diffuser RONDO-LX material 060 60°	60,00 €	S540-0102
I-Switch Alu 2.5A M8 (external power switch)	95,00 €	S540-0200-E
5m cable M8-plug straight 4-pole to open wire ends	14,00 €	

10m cable M8-plug straight 4-pole to open wire ends	26,00 €
5m cable M8-plug straight 6-pole to open wire ends	33,00 €
10m cable M8-plug straight 6-pole to open wire ends	42,00 €

**eme.de - net: [www.buechner-lichtsysteme.de](http://www.buechner-lichtsysteme.de)**

**Changes and mistakes reserved - Price**

nnel / Price = 510€ + 10€ = 520€

OC
-1

OC
-1

OC
-4

Description	Price
Lighting controller IPSC1	649,00 €
Lighting controller HPSC1	727,00 €
Lighting controller IPSC2	749,00 €
Lighting controller IPSC4	828,00 €
Lighting controller HPSC4	980,00 €

**es net without VAT - Rev. 1.0**

Artikel-Nr	Preis
S173-617030-24-M84-1	482,00 €
S173-617030-24S-M84-1	517,00 €
S173-617030-SC-M84-1	492,00 €
S173-617060-24-M84-1	482,00 €
S173-617060-24S-M84-1	517,00 €
S173-617060-SC-M84-1	492,00 €
S173-635120-24-M84-1	461,00 €
S173-635120-24S-M84-1	496,00 €
S173-635120-SC-M84-1	471,00 €
S173-WLU120-24-M84-1	510,00 €
S173-WLU120-24S-M84-1	545,00 €
S173-WLU120-SC-M84-1	520,00 €
S173-850030-24-M84-1	492,00 €
S173-850030-24S-M84-1	527,00 €
S173-850030-SC-M84-1	502,00 €
S173-850050-24-M84-1	492,00 €
S173-850050-24S-M84-1	527,00 €
S173-850050-SC-M84-1	502,00 €
S173-850120-24-M84-1	482,00 €
S173-850120-24S-M84-1	517,00 €
S173-850120-SC-M84-1	492,00 €
S173-470030-24-M84-1	510,00 €
S173-470030-24S-M84-1	545,00 €
S173-470030-SC-M84-1	520,00 €
S173-470120-24-M84-1	510,00 €
S173-470120-24S-M84-1	545,00 €
S173-470120-SC-M84-1	520,00 €
S173-525030-24-M84-1	510,00 €
S173-525030-24S-M84-1	545,00 €
S173-525030-SC-M84-1	520,00 €
S173-525120-24-M84-1	510,00 €
S173-525120-24S-M84-1	545,00 €
S173-525120-SC-M84-1	520,00 €
S173-375120-24-M84-1	672,00 €
S173-375120-24S-M84-1	707,00 €
S173-375120-SC-M84-1	682,00 €
S173-RGB120-24-M86-1	576,00 €
S173-RGB120-SC-M86-1	586,00 €
S173-617030-24-M86-4	535,00 €
S173-617030-SC-M86-4	545,00 €
S173-617060-24-M86-4	535,00 €
S173-617060-SC-M86-4	545,00 €
S173-635120-24-M86-4	514,00 €
S173-635120-SC-M86-4	524,00 €
S173-WLU120-24-M86-4	562,00 €
S173-WLU120-SC-M86-4	572,00 €
S173-850030-24-M86-4	545,00 €
S173-850030-SC-M86-4	555,00 €
S173-850050-24-M86-4	545,00 €



S173-850050-SC-M86-4	555,00 €
S173-850120-24-M86-4	535,00 €
S173-850120-SC-M86-4	545,00 €
S173-470030-24-M86-4	562,00 €
S173-470030-SC-M86-4	572,00 €
S173-470120-24-M86-4	562,00 €
S173-470120-SC-M86-4	572,00 €
S173-525030-24-M86-4	562,00 €
S173-525030-SC-M86-4	572,00 €
S173-525120-24-M86-4	562,00 €
S173-525120-SC-M86-4	572,00 €
S173-375120-24-M86-4	724,00 €
S173-375120-SC-M86-4	734,00 €

Beschreibung
RONDO-LX rot 617nm 30° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 617nm 30° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 617nm 30° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 617nm 60° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 617nm 60° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 617nm 60° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 635nm 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 635nm 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX rot 635nm 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX weiß 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX weiß 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX weiß 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 30° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 30° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 30° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 50° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 50° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 50° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX IR 850nm 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 30° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 30° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 30° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX blau 470nm 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 30° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 30° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 30° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX grün 525nm 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX UV 375nm 120° 24V-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX UV 375nm 120° 24V-Typ mit Schalteingang M8 Stecker 4-polig 1-kanalig
RONDO-LX UV 375nm 120° SC-Typ M8 Stecker 4-polig 1-kanalig
RONDO-LX RGB 24V-Typ M8 Stecker 6-polig 1-kanalig
RONDO-LX RGB SC-Typ M8 Stecker 6-polig 1-kanalig
RONDO-LX rot 617nm 30° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX rot 617nm 30° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX rot 617nm 60° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX rot 617nm 60° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX rot 635nm 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX rot 635nm 120° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX weiß 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX weiß 120° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX IR 850nm 30° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX IR 850nm 30° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX IR 850nm 50° 24V-Typ M8 Stecker 6-polig 4-kanalig

RONDO-LX IR 850nm 50° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX IR 850nm 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX IR 850nm 120° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX blau 470nm 30° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX blau 470nm 30° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX blau 470nm 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX blau 470nm 120° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX grün 525nm 30° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX grün 525nm 30° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX grün 525nm 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX grün 525nm 120° SC-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX UV 375nm 120° 24V-Typ M8 Stecker 6-polig 4-kanalig
RONDO-LX UV 375nm 120° SC-Typ M8 Stecker 6-polig 4-kanalig

Article-No	Price
S173-617030-24-M84-1	482,00 €
S173-617030-24S-M84-1	517,00 €
S173-617030-SC-M84-1	492,00 €
S173-617060-24-M84-1	482,00 €
S173-617060-24S-M84-1	517,00 €
S173-617060-SC-M84-1	492,00 €
S173-635120-24-M84-1	461,00 €
S173-635120-24S-M84-1	496,00 €
S173-635120-SC-M84-1	471,00 €
S173-WLU120-24-M84-1	510,00 €
S173-WLU120-24S-M84-1	545,00 €
S173-WLU120-SC-M84-1	520,00 €
S173-850030-24-M84-1	492,00 €
S173-850030-24S-M84-1	527,00 €
S173-850030-SC-M84-1	502,00 €
S173-850050-24-M84-1	492,00 €
S173-850050-24S-M84-1	527,00 €
S173-850050-SC-M84-1	502,00 €
S173-850120-24-M84-1	482,00 €
S173-850120-24S-M84-1	517,00 €
S173-850120-SC-M84-1	492,00 €
S173-470030-24-M84-1	510,00 €
S173-470030-24S-M84-1	545,00 €
S173-470030-SC-M84-1	520,00 €
S173-470120-24-M84-1	510,00 €
S173-470120-24S-M84-1	545,00 €
S173-470120-SC-M84-1	520,00 €
S173-525030-24-M84-1	510,00 €
S173-525030-24S-M84-1	545,00 €
S173-525030-SC-M84-1	520,00 €
S173-525120-24-M84-1	510,00 €
S173-525120-24S-M84-1	545,00 €
S173-525120-SC-M84-1	520,00 €
S173-375120-24-M84-1	672,00 €
S173-375120-24S-M84-1	707,00 €
S173-375120-SC-M84-1	682,00 €
S173-RGB120-24-M86-1	576,00 €
S173-RGB120-SC-M86-1	586,00 €
S173-617030-24-M86-4	535,00 €
S173-617030-SC-M86-4	545,00 €
S173-617060-24-M86-4	535,00 €
S173-617060-SC-M86-4	545,00 €
S173-635120-24-M86-4	514,00 €
S173-635120-SC-M86-4	524,00 €
S173-WLU120-24-M86-4	562,00 €
S173-WLU120-SC-M86-4	572,00 €
S173-850030-24-M86-4	545,00 €
S173-850030-SC-M86-4	555,00 €
S173-850050-24-M86-4	545,00 €

S173-850050-SC-M86-4	555,00 €
S173-850120-24-M86-4	535,00 €
S173-850120-SC-M86-4	545,00 €
S173-470030-24-M86-4	562,00 €
S173-470030-SC-M86-4	572,00 €
S173-470120-24-M86-4	562,00 €
S173-470120-SC-M86-4	572,00 €
S173-525030-24-M86-4	562,00 €
S173-525030-SC-M86-4	572,00 €
S173-525120-24-M86-4	562,00 €
S173-525120-SC-M86-4	572,00 €
S173-375120-24-M86-4	724,00 €
S173-375120-SC-M86-4	734,00 €

Description
RONDO-LX red 617nm 30° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX red 617nm 30° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX red 617nm 30° SC-Type M8 plug 4-pole 1-channel
RONDO-LX red 617nm 60° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX red 617nm 60° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX red 617nm 60° SC-Type M8 plug 4-pole 1-channel
RONDO-LX red 635nm 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX red 635nm 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX red 635nm 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX white 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX white 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX white 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 30° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 30° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 30° SC-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 50° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 50° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 50° SC-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX IR 850nm 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 30° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 30° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 30° SC-Type M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX blue 470nm 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX green 525nm 30° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX green 525nm 30° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX green 525nm 30° SC-Type M8 plug 4-pole 1-channel
RONDO-LX green 525nm 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX green 525nm 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX green 525nm 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX UV 375nm 120° 24V-Type M8 plug 4-pole 1-channel
RONDO-LX UV 375nm 120° 24V-Type with remote enable M8 plug 4-pole 1-channel
RONDO-LX UV 375nm 120° SC-Type M8 plug 4-pole 1-channel
RONDO-LX RGB 24V-Type M8 plug 6-pole 1-channel
RONDO-LX RGB SC-Type M8 plug 6-pole 1-channel
RONDO-LX red 617nm 30° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX red 617nm 30° SC-Type M8 plug 6-pole 4-channel
RONDO-LX red 617nm 60° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX red 617nm 60° SC-Type M8 plug 6-pole 4-channel
RONDO-LX red 635nm 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX red 635nm 120° SC-Type M8 plug 6-pole 4-channel
RONDO-LX white 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX white 120° SC-Type M8 plug 6-pole 4-channel
RONDO-LX IR 850nm 30° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX IR 850nm 30° SC-Type M8 plug 6-pole 4-channel
RONDO-LX IR 850nm 50° 24V-Type M8 plug 6-pole 4-channel

RONDO-LX IR 850nm 50° SC-Type M8 plug 6-pole 4-channel
RONDO-LX IR 850nm 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX IR 850nm 120° SC-Type M8 plug 6-pole 4-channel
RONDO-LX blue 470nm 30° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX blue 470nm 30° SC-Type M8 plug 6-pole 4-channel
RONDO-LX blue 470nm 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX blue 470nm 120° SC-Type M8 plug 6-pole 4-channel
RONDO-LX green 525nm 30° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX green 525nm 30° SC-Type M8 plug 6-pole 4-channel
RONDO-LX green 525nm 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX green 525nm 120° SC-Type M8 plug 6-pole 4-channel
RONDO-LX UV 375nm 120° 24V-Type M8 plug 6-pole 4-channel
RONDO-LX UV 375nm 120° SC-Type M8 plug 6-pole 4-channel